

به نام خدا

شرکت آدیش
موضوع: پیشنهاد فنی و مالی تابلوهای برق فشار ضعیف

با سلام و احترام

بدینوسیله به پیوست پیشنهاد فنی و مالی تابلوهای برق فشار ضعیف به شماره SD-R3565-G3825-rev07 مورخ 1404/03/21 به حضورتان ارسال می گردد.

باتشکر

منصوره فاضل زاده - مدیرفروش



Head Office:

No 176, Ozgol St., Aqdasieh
Tehran, Iran
Tel: (+98 21) 224 70001(25 lines)
Direct Fax: (+98 21) 22 47 37 14

Factory:

No 908, Khayyam Blvd.
Abbas Abad ind. Zone,
Tehran, Iran
Tel: 36 42 32 28 (5 lines)
Fax: (+98 21) 36 42 32 28

Commercial Offices:

Located in Hamburg, Germany
Located in Dubai, UAE
Located in Ningbo, China
Located in Isfahan, Iran
Located in Ahwaz, Iran

Email Addresses:

info@raselgroup.ir
info@raseltableau.ir
raselco2@gmail.com
salesraselco92@gmail.com



به نام خدا

شرکت آدیش

موضوع: پیشنهاد فنی و مالی تابلوهای برق فشار ضعیف

احتراماً،

ضمن عرض تقدیر به جهت استعلام بعمل آمده، بدینوسیله پیشنهاد فنی و مالی این شرکت جهت تأمین ۱۲ دستگاه تابلوی برق فشار ضعیف فیکس به پیوست به حضورتان تقدیم می گردد.

ضمائم پیشنهاد:

- شرایط تجاری و مالی
- لیست قیمت پیشنهادی تابلوها
- مارک تجهیزات بکار رفته در تابلوها
- مشخصات فنی و شرح تجهیزات بکار رفته در تابلوها

لطفاً در صورت نیاز به هر گونه اطلاعات دیگر از تماس با این شرکت دریغ نفرمایید.

با تجدید احترام
مدیر فروش - منصوره فاضل زاده



اقدام کننده: حیدری

- اشاره به شماره این نامه در مکاتبات آتی، مزید امتنان خواهد بود.

Head

No 176, Ozgol St., Aqdasieh
Tehran, Iran
Tel: (+98 21) 224 70001(25 lines)
Direct Fax: (+98 21) 22 47 37 14

Factory:

No 908, Khayyam Blvd.
Abbas Abad ind. Zone,
Tehran, Iran
Tel: 36 42 32 28 (5 lines)
Fax: (+98 21) 36 42 32 28

Commercial Offices:

Located in Hamburg, Germany
Located in Dubai, UAE
Located in Ningbo, China
Located in Isfahan, Iran
Located in Ahwaz, Iran

Email Addresses:

info@raselgroup.ir
info@raseltableau.ir
raselco2@gmail.com
salesraselco92@gmail.com



CESI

EPIL



JDEVS

2025



COMMERCIAL PROPOSAL

Follow Us Also On Instagram & Threads : Rasel_Tableau


www.RaselGroup.com

NO : SD-R3565-G3825-rev07

Date : 1404/03/21

شرایط تجاری و مالی	
1- تعداد کل تابلوها :	دوازده دستگاه
2- قیمت پیشنهادی کل :	۴۳,۰۰۰,۰۰۰,۰۰۰ ریال
	چهل و سه میلیارد ریال
3- توضیحات :	هزینه تست اپیل در این پیشنهاد منظور نگردیده است و هزینه نصب و راه اندازی در این پیشنهاد منظور نگردیده است.
4- درصد پیش پرداخت :	۶۰٪ مبلغ قرارداد به عنوان پیش پرداخت و مابقی قبل از حمل کالای موضوع پیشنهاد دریافت می گردد
5- مدت زمان تحویل :	زمان تحویل کالای موضوع قرارداد ۹۰ روز کاری پس از دریافت پیش پرداخت و تأیید نقشه های اجرایی می باشد.
6- مدت اعتبار :	شرایط ذکر شده در این پیشنهاد به مدت ۵ روز از تاریخ پیشنهاد معتبر می باشد.
7- مبنای محاسبه نرخ ارز:	
8- محل تحویل :	کالای موضوع پیشنهاد در محل کارخانه این شرکت واقع در شهرک صنعتی عباس آباد ، پس از تست در حضور نماینده خریدار تحویل می گردد .
9- کسورات :	این پیشنهاد جنبه خرید و فروش دارد ، لذا هیچگونه کسور قانونی مانند بیمه ، مالیات و ... به آن تعلق نمی گیرد .
10- بسته بندی و بارگیری :	هزینه بسته بندی با نایلون ضربه گیر و همچنین بارگیری در این پیشنهاد منظور گردیده است.
11- حمل:	هزینه حمل در این پیشنهاد منظور نگردیده است و در صورت درخواست ، محاسبه و اعلام می گردد .
12- گارانتی :	تابلوهای برق ساخت این شرکت به مدت یک سال و شش ماه پس از نصب و راه اندازی و یا دو سال پس از فروش (هر کدام که زودتر سر رسید گردد) تحت گارانتی فروشنده می باشد، این گارانتی شامل دستکاریهای غیر مجاز ، بهره برداری ناصحیح ، بهره برداری توسط افراد غیر متخصص و موارد مشابه نمی باشد و فروشنده هیچگونه مسئولیتی در تأثیرات ناشی از بوجود آمدن اشکالات مرتبط ندارد همچنین کلیه محصولات این شرکت به مدت ۱۰ سال تحت پوشش خدمات پس از فروش قرار می گیرد.
13- شرایط فورس ماژور :	این شرایط طبق تعاریف ضوابط جمهوری اسلامی ایران ملاک عمل خواهد بود.
14- مالیات بر ارزش افزوده :	مبلغ مالیات بر ارزش افزوده به قیمت فوق الذکر اضافه می گردد .

راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltableau.ir
Email : Info@Raseltableau.ir
Email : Raselco2@gmail.com



IO : SD-R3565-G3825-rev07

Date : 1404/03/21

لیست قیمت پیشنهادی تابلوهای پروژه

ردیف	نام تابلو	تعداد	بهای واحد پیشنهادی (ریال)	بهای کل پیشنهادی (ریال)
1	MHT-540-001	یک دستگاه	3,316,312,000	3,316,312,000
2	HT-540-002	یک دستگاه	2,284,887,000	2,284,887,000
3	HT-540-003	یک دستگاه	2,284,887,000	2,284,887,000
4	HT-555-001	یک دستگاه	4,289,816,000	4,289,816,000
5	NLP-S75-001	یک دستگاه	3,353,707,000	3,353,707,000
6	UDP-S75-001	یک دستگاه	2,282,310,000	2,282,310,000
7	HVP-S75-001	یک دستگاه	4,245,652,000	4,245,652,000
8	HT-520-001	یک دستگاه	2,284,887,000	2,284,887,000
9	HT-520-002	یک دستگاه	2,284,887,000	2,284,887,000
10	PK-522-21A-PDP	یک دستگاه	1,509,179,000	1,509,179,000
11	PK-522-21B-PDP	یک دستگاه	1,509,179,000	1,509,179,000
12	NDP-WSH-001	یک دستگاه	13,354,297,000	13,354,297,000
13	SPARE PART 2 YEARS		8,830,067,000	-
14	commissioning spare part		1,274,436,000	-
15	-		-	-
16	-		-	-
17	-		-	-
18	-		-	-
19	-		-	-
20	-		-	-
21	-		-	-
22	-		-	-
23	-		-	-
24	-		-	-
25	-		-	-
تعداد کل تابلوها		۱۲	جمع کل قیمت پیشنهادی ۱۲ دستگاه تابلو	43,000,000,000

راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasiyeh - Tehran- Iran
Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Teham- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raselttableau.ir
Email : Info@Raselttableau.ir
Email : Raselco2@gmail.com



2025



SINCE 1973

TECHNICAL PROPOSAL

Follow Us Also On Instagram & Thereads : Rasel_Tableau



www.RaselGroup.com

NO : SD-R3565-G3825-rev07

Date : 1404/03/21

Vendor list

Description	Brand
Moulded Case Circuit Breaker	ABB (Italy)/ Schneider Electric (France-Poland)
Motor protection Circuit Breaker	ABB (Germany) / Schneider Electric (France)
Contactor	ABB (France-sweeden)/ Schneider Electric (France)
Miniature Circuit Breaker	ABB (Germany) / Schneider Electric (Indoensia-Bulgaria)
RCBO	ABB (Italy)/ Schneider Electric (Indoensia-Bulgaria)
Cylindrical Fuse & Base	Eti (Slovenia)
Earth Leakage Relay with CT Corebalance	Frer (Italy)
Signal	Schneider Electric (France)
Push Botton	Schneider Electric (France)
Selector Switch	Schneider Electric (France)
Ammeter	Ziegler (Germany)/BEW (CHINA)
Current Transformer	C1 Electric (IRAN)
Terminal	Raad (IRAN)



راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست **RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)**



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablu.com
Email : Info@Raseltablu.com
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	MHT-540-001
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height Of Sea Level:	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description		Technical Data	QTY
Signal Indicator		XA2EVM3LC-230VAC, Red , Green , Yellow,22mm	29
Ammeter Selector Switch			1
Current Transformer		50~100/5 A-2/5VA,CL 0.5	3
Ammeter		96 x 96 - 90°	3
Fuse Disconnecter with Link Fuse		1P, 32A, 10x38mm, 100KA, 690V ,	12
Fuse Disconnecter with Link Fuse		3P, 32A, 10x38mm, 100KA, 690V ,	1
Auxiliary and fault Contact for MCB			12
RCBO		2P/16A-30mA	12
Moulded Case Circuit Breaker		4P/40A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	3
Moulded Case Circuit Breaker		4P/63A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact		1NO+1NC+Fault	1
Earth Leakage Relay			1
CT Corebalance		60mm	1
hygrostat			1
phase control		13B1	1
Terminal		As required	
Current Terminal		RSTT6	4
Lighting + micro Switch			1
Heater + Thermostat			1



راسل تابلو تولید کننده تابلوهای برق،مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablau.ir
Email : Info@Raseltablau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HT-540-002
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		25
Ammeter Selector Switch			1
Current Transformer	50~100/5 A-2/5VA,CL 0.5		3
Ammeter	96 x 96 - 90°		3
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		10
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		1
Auxiliary and fault Contact for MCB			10
RCBO	2P/16A-30mA		7
RCBO	2P/25A-30mA		3
Moulded Case Circuit Breaker	4P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		4
Lighting + micro Switch			1
Heater + Thermostat			1



راسل تابلو تولید کننده تابلوهای برق،مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablau.ir
Email : Info@Raseltablau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HT-540-003
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		25
Ammeter Selector Switch			1
Current Transformer	50~100/5 A-2/5VA,CL 0.5		3
Ammeter	96 x 96 - 90°		3
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		10
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		1
Auxiliary and fault Contact for MCB			10
RCBO	2P/16A-30mA		7
RCBO	2P/25A-30mA		3
Moulded Case Circuit Breaker	4P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		4
Lighting + micro Switch			1
Heater + Thermostat			1



راسل تابلو تولید کننده تابلوهای برق،مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablau.ir
Email : info@raseltablau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HT-555-001
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		55
Ammeter Selector Switch			1
Current Transformer	50~100/5 A-2/5VA,CL 0.5		3
Ammeter	96 x 96 - 90°		3
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		25
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		1
Auxiliary and fault Contact for MCB			25
RCBO	2P/16A-30mA		23
RCBO	2P/25A-30mA		2
Moulded Case Circuit Breaker	4P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		4
Lighting + micro Switch			1
Heater + Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق،مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax : (+98 21) 22473714

Web site : www.raselttableau.ir
Email : Info@Raselttableau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	NLP-S75-001
Emplacement :	Indoor	Type Of Panel :	Rittal type
Protection Degree :	42	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	1270mm	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		11
Push Button (stop or start)	Red , Green,22mm,1NO		8
Selector Switch 1-0-2			4
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		5
Fuse Disconnecter with Link Fuse	2P, 32A, 10x38mm, 100KA, 690V ,		6
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		1
Miniature Circuit Breaker	2P / 6A,10kA, Type C		1
Miniature Circuit Breaker	2P / 10A,10kA, Type B		5
Miniature Circuit Breaker	4P / 16A,10kA, Type C		5
Auxiliary and fault Contact for MCB			15
RCBO	2P/16A-30mA		4
Contactor	4 kW / 9A-AC3		1
Contactor	4P-4KW		2
Contactor	4P-8KW		1
Auxiliary Contact of Contactor	2NO/2NC		4
Moulded Case Circuit Breaker	4P/40A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		2
Moulded Case Circuit Breaker	4P/63A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC		4
Impulse Relay	A9C30811		3
Timer			1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Lighting + micro Switch			1
Heater + Thermostat			1

RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	UDP-S75-001
Emplacement :	Indoor	Type Of Panel :	Rittal type
Protection Degree :	42	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	1270mm	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		11
Push Button (stop or start)	Red , Green,22mm,1NO		8
Selector Switch 1-0-2			4
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		3
Fuse Disconnecter with Link Fuse	2P, 32A, 10x38mm, 100KA, 690V ,		8
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		1
Miniature Circuit Breaker	2P / 6A,10kA, Type C		1
Miniature Circuit Breaker	2P / 10A,10kA, Type B		7
Auxiliary and fault Contact for MCB			11
RCBO	2P / 10A - 30mA		3
Contacteur	4 kW / 9A-AC3		4
Auxiliary Contact of Contacteur	2NO/2NC		4
Moulded Case Circuit Breaker	4P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC		4
Impulse Relay	A9C30811		2
hygrostat			1
phase control	13B1		1
Terminal	As required		
Lighting + micro Switch			1
Heater + Thermostat			1



راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor)



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abd Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HVP-S75-001
Emplacement :	Indoor	Type Of Panel :	Rittal type
Protection Degree :	42	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	1270mm	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		37
Push Button (stop or start)	Red , Green,22mm,1NO		32
Selector Switch 1-0-2			16
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,		6
Fuse Disconnecter with Link Fuse	2P, 32A, 10x38mm, 100KA, 690V ,		25
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,		3
Miniature Circuit Breaker	2P / 6A,10kA, Type C		14
Miniature Circuit Breaker	2P / 16A,10kA, Type C		2
Miniature Circuit Breaker	2P / 25A,10kA, Type C		4
Miniature Circuit Breaker	2P / 40A,10kA, Type C		5
Miniature Circuit Breaker	3P / 16A,10kA, Type C		2
Contactor	4 kW / 9A-AC3		14
Contactor	4P-4KW		2
Auxiliary Contact of Contactor	2NO/2NC		16
Moulded Case Circuit Breaker	4P/100A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC		20
Timer			2
hygrostat			1
phase control	13B1		1
Terminal	As required		
Lighting + micro Switch			1
Heater + Thermostat			1
Fan+2Filter+Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) **راسل تابلو** تولید کننده تابلوهای برق،مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablau.ir
Email : Info@Raseltablau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HT-520-001
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7035	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		25
Ammeter Selector Switch			1
Current Transformer	50~100/5 A-2/5VA,CL 0.5		3
Ammeter	96 x 96 - 90°		3
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		10
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		1
Auxiliary and fault Contact for MCB			10
RCBO	2P/16A-30mA		5
RCBO	2P/25A-30mA		5
Moulded Case Circuit Breaker	4P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		4
Lighting + micro Switch			1
Heater + Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	HT-520-002
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		25
Ammeter Selector Switch			1
Current Transformer	50~100/5 A-2/5VA,CL 0.5		3
Ammeter	96 x 96 - 90°		3
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		10
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		1
Auxiliary and fault Contact for MCB			10
RCBO	2P/16A-30mA		5
RCBO	2P/25A-30mA		5
Moulded Case Circuit Breaker	4P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC		1
Shunt Trip			1
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Earth Leakage Relay			1
CT Corebalance	60mm		1
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		4
Lighting + micro Switch			1
Heater + Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	PK-522-21A-PDP
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7035	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		22
Push Button (stop or start)	Red , Green,22mm,1NO		8
Selector Switch 1-0-2			4
Ammeter Selector Switch			2
Emergency Stop push Button(Mushroom)	RED		1
Ammeter	96 x 96 - 90°		6
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		3
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		6
Auxiliary and fault Contact for MCB			2
RCBO	4P/16A-300mA		1
Motor protection Circuit Breaker	UP TO 6.3 A-Icu=50kA, 400/415 V AC		2
Auxiliary Contacts and Fault Signalling Contacts for MCB	1 NO + 1 NO (fault)		2
Contactor	4 kW / 9A-AC3		4
Auxiliary Contact of Contactor	2NO/2NC		4
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC		4
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		8
Lighting + micro Switch			1
Heater + Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abd Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	PK-522-21B-PDP
Emplacement :	Outdoor	Type Of Panel :	Rittal type
Protection Degree :	55	Qty Panel :	WM 120 x 120 x 21
Color Ral :	7035	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description	Technical Data		QTY
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm		22
Push Button (stop or start)	Red , Green,22mm,1NO		8
Selector Switch 1-0-2			4
Ammeter Selector Switch			2
Emergency Stop push Button(Mushroom)	RED		1
Ammeter	96 x 96 - 90°		6
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		3
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A		6
Auxiliary and fault Contact for MCB			2
RCBO	4P/16A-300mA		1
Motor protection Circuit Breaker	UP TO 6.3 A-Icu=50kA, 400/415 V AC		2
Auxiliary Contacts and Fault Signalling Contacts for MCB	1 NO + 1 NO (fault)		2
Contactors	4 kW / 9A-AC3		4
Auxiliary Contact of Contactor	2NO/2NC		4
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault		1
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC		4
hygrostat			1
phase control	13B1		1
Terminal	As required		
Current Terminal	RSTT6		8
Lighting + micro Switch			1
Heater + Thermostat			1



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Tehran- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-rev07	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	NDP-WSH-001
Emplacement :	Indoor	Type Of Panel :	Rittal type
Protection Degree :	42	Qty Panel :	3 CELLS (1W80+2W95)
Color Ral :	7040	Approximate Dimension :	Will present after contract
Environment Temperature :	48°C	Type Of Color :	Electrostatic powder coating
Short circuit Main Busbar:	25KA	Equipment Access :	Front
Height :	100m	Outlet Cable :	Bottom
Humidity :	80%	Inlet Cable :	Bottom
Description		Technical Data	QTY
Signal Indicator		XA2EVM3LC-230VAC, Red , Green , Yellow,22mm	17
Push Button (stop or start)		Red , Green,22mm,1NO	16
Voltmeter Selector		7 Position	1
Current Transformer		630/5 A-5VA,CL 0.5	3
Ammeter		96 x 96 - 90°	3
Voltmeter		0-500V-96 x 96 - 90°	1
Fuse Disconnecter with Link Fuse		2P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A	5
Fuse Disconnecter with Link Fuse		3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A	2
Miniature Circuit Breaker		2P / 10A,10kA, Type B	5
Auxiliary and fault Contact for MCB			5
Moulded Case Circuit Breaker		3P/16A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	5
Moulded Case Circuit Breaker		3P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	5
Moulded Case Circuit Breaker		3P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	3
Moulded Case Circuit Breaker		4P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	9
Moulded Case Circuit Breaker		4P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1
Moulded Case Circuit Breaker		4P/40A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	2
Moulded Case Circuit Breaker		4P/63A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	3
Moulded Case Circuit Breaker		4P/80A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	2
Moulded Case Circuit Breaker		4P/100A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1
Moulded Case Circuit Breaker		4P/125A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	3
Moulded Case Circuit Breaker		4P/160A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	2
Moulded Case Circuit Breaker		4P/250A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1
Moulded Case Circuit Breaker		4P/630A , b=0.7...1 x In, Icu=50kA, 380/415 V AC	1
Shunt Trip			9
Under Voltage Relaease			1
Aux Contact Trip,Pos.For mccb Compact		1NO+1NC+Fault	9
Earth Leakage Relay			1
CT Corebalance		210mm	1
Terminal		As required	
Current Terminal		RSTT6	4
Lighting + micro Switch			3
Heater + Thermostat			3
Fan+2Filter+Thermostat			3



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) **راسل تابلو تولید کننده تابلوهای برق،مجری پروژه های کلید در دست**



Head Office: No. 136-Azgol st.
Aqdasieh - Tehran- Iran
Factory: No. 34A05 - Khayam Biv.
Abbas Abad Ind. Zone- Teharn- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax : (+98 21) 22473714
Web site : www.raseltablau.ir
Email : Info@Raseltablau.ir
Email : Raselco2@gmail.com



DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-re	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	SPARE PART 2 YEARS
Description	Technical Data	QTY	
Signal Indicator	XA2EVM3LC-230VAC, Red , Green , Yellow,22mm	70	
Push Button (stop or start)	Red , Green,22mm,1NO	13	
Selector Switch 1-0-2		4	
Ammeter Selector Switch		2	
Emergency Stop push Button(Mushroom)	RED	2	
Voltmeter Selector	7 Position	1	
Current Transformer	50~100/5 A-2/5VA,CL 0.5	5	
Current Transformer	630/5 A-5VA,CL 0.5	1	
Ammeter	96 x 96 - 90°	4	
Voltmeter	0-500V-96 x 96 - 90°	1	
Fuse Disconnecter with Link Fuse	1P, 32A, 10x38mm, 100KA, 690V ,Gg 2~32A	9	
Fuse Disconnecter with Link Fuse	2P, 32A, 10x38mm, 100KA, 690V ,Gg 2~32A	5	
Fuse Disconnecter with Link Fuse	3P, 32A, 10x38mm, 100KA, 690V ,Gg 2~32A	3	
Fuse Disconnecter with Link Fuse	1P, 63A, 14x51mm, 100KA, 690V ,Gg 32~63A	1	
Fuse Disconnecter with Link Fuse	3P, 63A, 14x51mm, 100KA, 690V ,Gg 32~63A	1	
Miniature Circuit Breaker	2P / 6A,10kA, Type C	4	
Miniature Circuit Breaker	2P / 10A,10kA, Type B	5	
Miniature Circuit Breaker	2P / 16A,10kA, Type C	13	
Miniature Circuit Breaker	2P / 25A,10kA, Type C	5	
Miniature Circuit Breaker	2P / 40A,10kA, Type C	1	
Miniature Circuit Breaker	4P / 16A,10kA, Type C	2	
Auxiliary and fault Contact for MCB		36	
RCBO	2P / 10A - 30mA	1	
RCBO	2P/16A-30mA	16	
RCBO	2P/25A-30mA	2	
RCBO	4P/16A-300mA	1	
RCBO	4P/40A-30mA	1	
Motor protection Circuit Breaker	UP TO 6.3 A-Icu=50kA, 400/415 V AC	1	
Binary Contacts and Fault Signalling Contacts for M	1 NO + 1 NO (fault)	1	
Contact	4 kW / 9A-AC3	5	
Contact	7.5 kW / 18A-AC3	1	
Contact	4P-4KW	1	
Contact	4P-8KW	1	
Auxiliary Contact of Contactor	2NO/2NC	7	
Moulded Case Circuit Breaker	3P/16A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	3P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	3P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/25A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	2	
Moulded Case Circuit Breaker	4P/32A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/40A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/63A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/80A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/100A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/125A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/160A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/250A , b=0.7...1 x In, Icu=25kA, 380/415 V AC	1	
Moulded Case Circuit Breaker	4P/630A , b=0.7...1 x In, Icu=50kA, 380/415 V AC	1	
Shunt Trip		1	
Under Voltage Release		1	
Aux Contact Trip,Pos.For mccb Compact	1NO+1NC+Fault	2	
Earth Leakage Relay		2	
CT Corebalance	60mm	2	
CT Corebalance	160mm	1	
CT Corebalance	210mm	1	
Auxiliary Relay With socket	4 PDT, 14Pin, 7A, 230V AC or 24VDC	16	
Impulse Relay	A9C30811	1	
Timer		1	
hygrostat		3	
Terminal	As required		
Terminal	RTP4	95	
Terminal	RTP35	7	
Terminal	RTP50	7	
Lighting + micro Switch		3	
Heater + Thermostat		3	
Fan+2Filter+Thermostat		3	

DISTRIBUTION PANEL			
Proposal Number :	NO : SD-R3565-G3825-re	Date : 1404/03/21	Order By : ADISH Co.
Applicable Standards:	IEC439 / EN60439	Panel Name :	commissioning spare part
Description		Technical Data	QTY
Signal Indicator		XA2EVM3LC-230VAC, Red , Green , Yellow,22mm	70
Push Button (stop or start)		Red , Green,22mm,1NO	13
Selector Switch 1-0-2			4
Emergency Stop push Button(Mushroom)		RED	2
Current Transformer		50~100/5 A-2/5VA,CL 0.5	3
Ammeter		96 x 96 - 90°	3
Fuse Disconnecter with Link Fuse		1P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A	9
Fuse Disconnecter with Link Fuse		2P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A	4
Fuse Disconnecter with Link Fuse		3P, 32A, 10x38mm, 100KA, 690V , Gg 2~32A	3
Fuse Disconnecter with Link Fuse		1P, 63A, 14x51mm, 100KA, 690V , Gg 32~63A	1
Fuse Disconnecter with Link Fuse		3P, 63A, 14x51mm, 100KA, 690V , Gg 32~63A	1
Auxiliary Relay With socket		4 PDT, 14Pin, 7A, 230V AC or 24VDC	16
Impulse Relay		A9C30811	1
hygostat			3
Terminal		As required	
Terminal		RTP4	95
Terminal		RTP35	7
Terminal		RTP50	7
Lighting + micro Switch			3
Heater + Thermostat			3
Fan+2Filter+Thermostat			3



RASEL TABLEAU Co. switchgear Manufacturer & (E.P.C contractor) راسل تابلو تولید کننده تابلوهای برق، مجری پروژه های کلید در دست



Head Office: No.136-Azgol st.
Aqdasieh - Tehran- Iran

Factory: No. 34A05 - Khayam Blv.
Abbas Abad Ind. Zone- Teharn- Iran

Tel: (+98 21) 22470001 (25 lines)
Fax: (+98 21) 22473714

Web site : www.raseltablaeu.ir
Email : Info@Raseltablaeu.ir
Email : Raselco2@gmail.com

